



Notice No. ୩୧୪୭ / ZP(DPRC), Dated: ୦୧.୦୪.୨୫

**TENDER NOTICE FOR SELECTION OF AGENCY FOR SUPPLY OF BED, TABLE AND CHAIR  
FOR HOSTEL AND DINING HALL OF DPRC, GANJAM**

Sealed Tenders are invited by **Zilla Parishad, Ganjam, Chatrapur** from reputed Firms/Agencies as per tender specification for " **Supply of Beds, Tables, and chairs**" at **District Panchayat Resource Center (DPRC), Ganjam, Chatrapur**". The detailed tender document may be downloaded from the district website [Ganjam.odisha.gov.in](http://Ganjam.odisha.gov.in).


Interested bidders may submit their sealed tender documents in the prescribed format mentioning " **Supply of Beds, Tables, and chairs at District Panchayat Resource Center (DPRC), Ganjam, Chatrapur**" on the cover of the envelope to the **CDO-Cum-EO, Zilla Parishad, Ganjam, Chatrapur, 761020** by .....21/04/2024 up to **5.00 P.M** through **Speed Post/Registered Post only**. Bidders are required to submit Technical Bid and Financial Bid in separate envelopes enclosed in a common envelope mentioning " **Supply of Beds, Tables, and chairs at District Panchayat Resource Center (DPRC), Chatrapur**" on the cover of the envelope. The Technical Bid will be opened on .....22/04/2024 at **11.00 A.M.** in presence of the bidders or their authorized representatives. The date and time of opening of the Financial Bids will be intimated to the shortlisted bidders later.

Tenders received after due date and time will not be accepted. **Zilla Parishad, Ganjam, Chatrapur** shall not be responsible for postal delay or similar reasons. No Tenders sent through an electronic mail or any other mode shall be accepted. Any corrigendum/addendum, if any, will be uploaded in the above-mentioned website only.

**Zilla Parishad, Ganjam, Chatrapur** reserves the right to accept or reject any or all tender without assigning any reason thereof. For any queries you may contact at or reach to  
**Cell: 9438243384**

**Address: Zilla Parishad, Ganjam District**

**E mail: [drdaganjam@gmail.com](mailto:drdaganjam@gmail.com)**

  
**CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam**

**Memo No.** ୩୧୪୪

**Date:** ୦୧.୦୪.୨୫

Copy to DeGM, Ganjam for information and requested to web host the above tender document in the [Ganjam.odisha.gov.in](http://Ganjam.odisha.gov.in) website.

  
**CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam**

**Memo No.** \_\_\_\_\_ **Date:** \_\_\_\_\_

Copy to Editor \_\_\_\_\_ / \_\_\_\_\_ newspaper for information and request to publish the above tender document in the size of 8"X8" in it's next edition.

  
**CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam**

## TECHNICAL BID

(To be filled in & returned with the documents)

1.	Name of Proprietor / Partner / Director. (In Capital letters)	
2.	Name of the Agency	
3.	Details of address (Registered Office and Branch Office in Odisha)	Office:- Residence: - Mobile :- Fax No :- e-mail Id :-
4.	Details of amount towards paper cost.	<b>Rs. 10,000/-</b> D.D. / B.C. No ..... Date: ..... Drawn on Bank.....
5.	Details of amount of Earnest Money Deposit	<b>Rs. 50,000/-</b> D.D. / B.C. No ..... Date: ..... Drawn on Bank.....
6.	GST Registration No. (Photo copy must be attached)	
7.	ITR should be furnished for last 2 year.	
8.	PAN / GIR No.	
9.	Audit Report ( P/L & Balance Sheet of Last 2 years))	
10.	Details of credentials of similar nature of work at least for last three years. (Photo copy to be attached). (Experience in supply of similar items to Govt. in last three years). (Work Order in support of supply to be attached)	
11.	Turn over of Rs. 01 Cr in last 2 years	
12.	Compliance Sheet	

### DECLARATION

- I.....Son/Daughter/Wife of Shri.....  
.....Proprietor / Partner / Director / authorized signatory of the bidder mentioned above that I am competent to sign this declaration and execute these tender documents.
- I have carefully read and understood all the terms and conditions of the tender and undertake to abide by them.
- The information / documents furnished along with the above application are true & authentic and to the best of my knowledge and belief. I / we do hereby undertake that furnishing of any false information / fabricated document would lead to rejection of my tender at any stage besides accruing of liabilities towards prosecution under appropriate law.

Place:  
Date:

Signature of Authorized person  
Full Name:  
Seal:

## **TERMS & CONDITIONS FOR PROVIDING OF CATERING SERVICES.**

1. The firm should be registered under GST Act.
2. The tenderers are to deposit **Rs. 10,000/-** towards cost of tender documents (Non Refundable) in shape of Bank Draft / Banker's Cheque favouring the CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam, Chatrapur. The tender documents submitted without paper cost shall be rejected.
3. The tenderers are to deposit **Rs. 50,000/-** as EMD in shape of Bank Draft / Banker's Cheque favouring the CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam, Chatrapur along with the tender documents. The tender documents submitted without EMD shall be rejected. The EMD deposited will be refunded (Refundable without interest) to the unsuccessful tenderers soon after completion / finalization of the tendering process.
4. The authorization letters if any to be enclosed in the tender with due attestation.
5. The quoted amount must be inclusive of GST, transportation cost, installation cost and other taxes applicable.
6. The work involved is "**Supply of Beds, Tables, and chairs" at District Panchayat Resource Center (DPRC), Ganjam, Chatrapur**". The tenderers are advised to visit all the sites, conduct survey of the existing arrangements to familiarise themselves with the nature of work to be carried out and get all clarifications as necessary from DPRC before quoting their rates, if desiers.
7. The Contractors should be an authorized dealer of the furniture manufacturing company, proof of which needs to be submitted, failing which the bid of the tenderer may be rejected. Tenderer should have experience of similar works during the last 3 years (ending 31.03.2024) and who fulfil the following criteria are eligible to tender:-
  - a. Should have carried out **minimum 01 similar work** with Govt./ PSUs during the last 03 years (each year) with contract value (costing individually) not less than **₹ 20.00 lakh**.
  - b. The tenderers should have average Annual Turnover of **₹ 1.00** Crore each year during the last 02 years ,supported by audited balance sheet or a registered Chartered Accountant statement of account.
  - c. The tenderers should have applicable registrations (PAN, GST, etc.) supported with documentary evidence and licenses, permissions, approvals issued by appropriate authorities, wherever applicable and furnish copies of the same with tender (with the Pre-Qualifying Bid). Tenders without required documents will besummarily rejected.
  - d. Tenderers are requested to submit the following documents in **PART – I** (Technical Bid) for examining their qualification/ suitability. Opening of **PART – II** (Financial Bid) will be subject to satisfying the prescribed eligibility criteria:-
    - i. Copies of Work Orders and Satisfactory Completion certificates from clients for executing similar works for Central/ State Government offices/ Public Sector Undertakings/ Public Sector Banks/ Autonomous Bodies, etc.

**during the last 03 (three) years in Odisha state.**

“Similar Works” means experience in executing Work Order for supply of furniture in similar Govt./ PSUs/ Public Sector Banks/ Autonomous Bodies, etc. having registered office or such similar setup in Odisha.

- 8. The Tenderer must have their registered office / Branch Office within the city limits of Ganjam district.**
9. While deciding upon the selection of contractors, emphasis will be laid on the ability and competence of tenderers to undertake quality works within the specified time schedule and in close co-ordination with other agencies, besides the rate structures of the items.
10. If any information / document furnished by the tenderers with the tender papers as asked for are found to be misleading or incorrect at any stage their tenders will be rejected without assigning reasons thereof.
11. The tenders received beyond the scheduled date & time will not be entertained / considered at any cost.
12. The CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam reserves the full right to accept in full or part or reject any or all the tenders without assigning any reason thereof. The CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam is not bound to accept the lowest rates.
13. In case of any legal dispute, it will be adjudicated within the jurisdiction of Berhampur court only.
14. All pages of the bids are to be signed & stamped by the tenderer.
15. Details of information are to be submitted following **Two Bids i.e. Technical Bid (Tenderer's Profile with all relevant documents including paper cost & EMD) & Financial Bid.** The technical bid and the financial bid should be sealed by the bidder in separate envelope duly superscribed and both these sealed envelope are to be put in a bigger envelope which should also be sealed and duly superscribed.
16. The Tenderers should furnish the particulars in the specific format attached (to be sealed on sealing wax) in a sealed envelope superscribed as **“Supply of Beds, Tables, and chairs at District Panchayat Resource Center (DPRC), Ganjam, Chatrapur”**. on the top to the sealed cover within the date & time specified above by Registered / Speed Post / Courier Service. No Tender will be received by hand. The authority shall not be responsible for any postal delay. The Tender received after due date and time shall not be taken into account for consideration.
17. The technical bid and the financial bid shall be opened on the scheduled date and time in the office of the CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam in presence of the tenderers or their any authorized representative.
18. The tenderers qualified in the technical bids shall be eligible for appearing of the financial bid.
19. The firm / organization should not be blacklisted by any Government organization If found later on, the action deemed to fit will be initiated against the firm as per the law an understanding to be submitted by the bidder to the effect.
20. The Interested tenderers may contact Sri Bani Sukanta Pattnaik, DPRC, Ganjam, (Phone No. 9438243384) for detailing of work & any clarification thereof.
21. The CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam reserves the rights to terminate the contract at any time without notice if the supplier / firm fails to provide the services within the time line according to the menu finalized in the terms and conditions.

## **2.SCOPE OF WORK**

- a) The Agencies / Tenderers shall supply 46 Nos. of Bed, 10 tables and 10 chairs for the hostel rooms and 10 plastic dining table with chair ( 4 seated) in the Dining hall of the DPRC. (All furniture needs to be of reputed brands like Godrej, Durian or equivalent)
- b) The tenderer shall enclose a copy of authorised dealership certificate of the furniture items supplied by them.
- c) The tenderer shall invariably attach the brochures having detailed specifications of the models quoted along with the Technical Bid.
- d) Furniture is to be installed at DPRC Hostel Rooms, Ganjam, Chatrapur.
- e) The addresses of the location is as under

Location	Address
DPRC Hostel	DPRC Hostel, Beside Chatrapur Main Railway Station, Chatrapur, Ganjam - 761020

- f) The above quoted rates shall be inclusive of all Taxes, Customs Duty, Excise Duty, Local Levies, Works contract tax, GST, Insurance, Transportation to site, Loading, Un-loading, Commissioning, Testing, properly handing over, Installation, including provision of all necessary manpower, etc.
- g) The Supplier/ Contractor in their own interest may visit the site and see the scope of work including the actual quantity of work before quoting the rates.

## **4. Instructions to the Tenderer**

- A. All the pages of the Tender Document shall be signed by the Tenderer.
- B. DPRC, Ganjam takes no responsibility for delay/ loss in non-receipt of Tender documents.
- C. The Earnest Money will be returned to the tenderer if his/ her tender is not accepted but without any interest, after finalisation of work order. In no case EMD shall bear any interest. Under no circumstances, EMD will be accepted in the form of fixed deposit receipts or bank or insurance guarantee or cheque.
- D. The EMD of ₹ 50,000/- (Rupees Fifty Thousand only) paid by the successful tenderer shall be held by DPRC, Ganjam as security for the execution and due fulfilment of the Contract. No interest shall be paid on the said deposit. In case of unsuccessful bidders, the EMD will be refunded only on award of Contract to the

successful bidder. The EMD / Initial Security Deposit (ISD) will not bear any interest. If the tenderer withdraws his tender before expiry of the validity period of the tender or if the tenderer fails to execute / complete the works satisfactorily, DPRC, Ganjam reserves the right to forfeit the EMD / ISD.


- E. Tenderers are advised to visit the site at their cost, conduct survey of existing conditions so as to familiarize themselves with the site conditions, nature of works etc. and get all clarifications as necessary from DPRC, Ganjam before quoting the rates.
- F. If last date of receipt of Tender / Quotation and opening date is a holiday, then submission and opening of Tenders / Quotations shall be shifted to next working day without any change of time and venue.
- G. If any of the documents is missing or unsigned, the tender may be considered invalid and may be rejected by the Zilla Parishad at its discretion.
- H. The Tenderers should quote their rates strictly adhering to Terms and Conditions stipulated in the Tender Document. Unsolicited correspondence after opening of the Tender shall not be entertained. Conditional / Deviational Tenders may be rejected without making any reference to the Tenderers.
- I. No Tenderer will be allowed to withdraw his Tender during the validity period. Subletting of the Contract is not permitted. In case any tenderer withdraws his/her tender during the validity period or is subsequently found to have sublet the same, the EMD amount received from such tenderers shall be forfeited.
- J. The Financial Bid should contain not only the rates but also the value of each item of work entered. The rates quoted in the tender shall be for the complete item including supply, installation, assembling on-site/ testing and commissioning (if any) on-site. The rates shall also include all charges for storing, watch & ward, reinstating and making good the damaged work if any to its original finish, etc. The rates quoted shall be deemed to be for finished work to be measured at site. The rates quoted in the tender shall include all charges for packing, transport, loading, unloading, unpacking and for delivery at site.
- K. The evaluation of Financial bid will be done item wise, However any agency stands L1 for maximum no. of items shall be given preference to negotiate for the other items at L1 rate and Work Order shall be issued in favour of the said agency.
- L. Time allowed for carrying out the work shall be strictly observed by the tenderer. The work shall throughout the stipulated period of the contract be proceeded with all due diligence.
- M. The work allotted to the successful Bidder is to be completed **within 20 days**



from the date of issue of work order.


- N. In case of part supply, the payment will be released once the entire supply is made.
- O. Tenderer shall provide all the guarantee/ warranty of the furniture supplied by them.
- P. The bidder shall provide the repair / replacement of the items within 48 hours during the period of warranty as finalized in this tender.
- Q. Notwithstanding anything stated above, DPRC reserves the right to assess the tenderer's capability and capacity to perform the contract, should the circumstances warrant such assessment in the overall interest of DPRC.

  
**CDO-cum-EO, Zilla Parishad-cum-  
Principal, DPRC, Ganjam**


## Details of Furniture Required

Sl. No	Furniture	Specifications	Qty	Demo Image
1	Single bed (like Godrej Grove)	<p>Type of Bed    Wooden Single Bed with wooden leg  Material of Bed Frame    teak wood  Bed should have Headrest and leg rest  Storage should be open from topside with having hydraulic and top Panel have Supports from all the four sides  Number of Supports under Bottom Panel of storage box (Nos) 2</p> <p><b>DIMENSIONS</b>  Mattress Fixing Length <math>\pm 10</math> (mm)    1905  Mattress Fixing Width <math>\pm 10</math> (mm) 915  Mattress Panel Height <math>\pm 5</math> (mm) 125  Depth of Storage Box in mm (<math>\pm 10</math> mm) 350  Thickness of Mattresses Panel <math>\pm 1</math> (mm) 9  Thickness of Bottom Panel of Storage Box <math>\pm 1</math> (mm)    12  Thickness of Front, Back and Side Panels <math>\pm 2</math> (mm)    18  Thickness of material of Headrest <math>\pm 2</math> (mm)    18  Overall, Height of Headrest <math>\pm 5</math> (mm)    900  Length of Headrest <math>\pm 10</math> (mm)    1525  Thickness of material of Largest <math>\pm 2</math> (mm)    36  Overall, Height of Largest <math>\pm 5</math> (mm)    450  Overall Length of Largest <math>\pm 10</math> (mm)    1980  Size OF SUPPORT for Top Panel <math>\pm 2</math> (max) 50 x 25</p> <p><b>COLOUR &amp; FINISHING</b>  Finish    Polished  Colour of Paint    dark brown  Colour of Lamination    plain  All Visible Wood Parts to be Polished</p> <p><b>WARANTEE</b>  WARANTEE PERIOD IN NUMBER OF YEARS    3</p>	46	
2	Study tables	<p>Study table with drawer and table top  Mode of Supply Knocked Down to Be Assembled At Consignee Site By The Seller  Frame type    Free standing  MISC  Table top long sides    Edge banded with PVC tape of 2 mm thick with help of hot melt glue  Table top plain sides    Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue  Gable end modesty panel plain sides    Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue  Number of buffers provided    4-Nos. at bottom</p> <p><b>FINISHING AND PACKING</b></p>	12	

Sl. No.	Furniture	Specifications	Qty	Demo Image
		Packing Five Ply Corrugated Board and Strapped With 12 Mm Hdpe Strap Colour of Top oak <b>MATERIAL</b> Material of table top, and drawer Three layer prelaminated particle board (Wood Product) of grade II type II of IS 12823/Latest Bottom side of top N.A Gable end and Modesty panel material Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest Leg Material NO LEGS <b>DIMENSION</b> Table top thickness $\pm 2$ mm 19 millimetre Thickness of gable end and modesty panel $\pm 2$ mm 12 Dimension of leg (mm X mm) $\pm 5$ mm No legs Length of table in mm ( $\pm 15$ mm) 1200 millimetre Depth of table in mm ( $\pm 10$ mm) 610 millimetre Height of table in mm ( $\pm 10$ mm) 685 millimetre Width of outside drawer on top right side of the table with ball bearing ( $\pm 5$ mm) 300 millimetre Depth of outside drawer $\pm 5$ mm 430 millimetre Height of outside drawer $\pm 5$ mm 150 millimetre bracket Three layer prelaminated particles board (wood product) of grade II type II of IS 12823/Latest fixing of supporting bracket with telescopic Length of telescopic channel $\pm 10$ mm 400mm Average weight of telescopic channel $\pm 50$ Gms N.A Warranty period in should be 3 years		
3	Revolving Chair	Type of chair High Back <b>UNDERSTRUCTURE</b> Tilt mechanism Center tilt mechanism Locking mechanism Upright locking Seat depth adjustment Fixed type Revolving mechanism Designed with 360 degree-revolving type Height adjustments Pneumatic/Hydraulic Pedestal base Mild steel chrome plated Type of chair base With castor Twin wheel castor material Nylon Number of twin wheel castor / Studs (Nos) 5 Minimum diameter of twin wheel castor (mm) 50 mm Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair 2 mm <b>SEAT</b> Seat base material Hot pressed plywood Seat material PU foam	12	

S No	Furniture	Specifications	Qty	Demo Image
		<p>Actual thickness of PU used in seat (mm) 60 millimeter  Minimum seat height from floor surface (mm) &gt;500  Actual seat height from floor surface (mm) 550 mm  Seat height adjustment (mm) 100 mm  Width of seat (mm) &gt;500  Actual width of seat (mm) 540 mm  Depth of seat (mm) &gt;500  Actual depth of seat (mm) 530 mm  Seat upholstery material Leatherette  Upholstered material seat colour Black</p> <p><b>BACKREST</b>  Backrest type Fixed type  Headrest type Without headrest  Backrest height Fixed  Backrest support type Contoured back / Without lumber support  Backrest base frame material Hot pressed plywood  Density of PU used in backrest (kg per cubic meter) &lt;=30  Actual density of PU used in backrest (kg per cubic meter) 25  Thickness of PU used in backrest (mm) &gt;40&lt;=50  Actual thickness of PU used in backrest (mm) 50 mm  Width of backrest (mm) &gt;450&lt;=500  Actual width of backrest (mm) 500 mm  Backrest height from the seat level &gt;550  Actual backrest height 750 mm  Backrest upholstery material Leatherette  Upholstered material backrest colour Black</p> <p><b>ARMREST</b>  Armrest type and arm movement Fixed  Armrest under structure material Aluminium  Armrest top material Wooden</p> <p><b>WARRANTY</b>  Warranty period in number of years 3 year</p>		
4	Dining Table(inclusive of 4chairs)	<p>Shape of the Cafeteria Table Rectangular  Seating Capacity of the Cafeteria Table 4</p> <p><b>Material</b>  Material of Table Top Solid Surface  Material of Understructure SS 202  PVC Edge Banding for Exposed Edges of Table Top NA  PVC Edge Banding for Exposed Edges of Under structure NA  Surface Finish  Surface Finish Solid Surface</p> <p><b>Dimensions</b>  Length of Table Top / Diameter of Table Top if the Shape is Circular with a tolerance of ± 10 mm 1800 mm  Width of Table Top with a tolerance of ± 10 mm 900 mm</p>	10	

S No	Furnitu re	Specifications	Qty	Demo Image
		Height of Table with a tolerance of $\pm 10$ mm    750 mm Thickness of the Table Top with a tolerance of $\pm 1$ mm    20 mm Colour / Finish    Walnut Warranty Warranty Per6iod    3 year		
5	Mattres s	<b>Dimension</b> Dimensions (Tolerance $\pm 15$ mm) 1981 mm x 1524 mm <b>Construction</b> Number of Layers    Two Layers Thickness of Top Layer ( $\pm 2$ mm) 55 mm Thickness of Core Layer 1 ( $\pm 2$ mm)    75 mm Thickness of Core Layer 2 ( $\pm 2$ mm)    Not Applicable Thickness of Bottom Layer ( $\pm 2$ mm)    Not Applicable Material of Top Layer    coir Material of Core Layer 1 PU Bonded Foam Material of Core Layer 2 Not Applicable <b>Mattress Cover</b> Fabric Composition    Polyester-Cotton Blended (80:20) Construction    Knitted Fabric Mass (Minimum) 240 gm/m <sup>2</sup> Fabric Colour/Print/Pattern    Printed Surface Finish <b>Density</b> Top Layer Density    70 Kg/m <sup>3</sup> Core Layer 1 Density    40 Kg/m <sup>3</sup> Core Layer 2 Density    Not Applicable Bottom Layer Density    Not Applicable <b>Other Requirement</b> Mattress Top    Box Type Compression Set Warranty should be for 3 years	46	

  
**CDO-cum-EO, Zilla Parishad-cum-Principal, DPRC, Ganjam**  
**CDO-cum-EO**  
**Zilla Parishad, Ganjam**

### **Declaration by the Tenderer**

1. I/ we hereby declare that I/we have read and understood the general instruction, general conditions of the contract, detailed specifications, etc. and hereby agree to abide by them.
2. I/ we hereby confirm that the tender shall remain in force and valid for acceptance for a period of not less than 90 (ninety) days from the date of opening of the financial bid.
3. I/ we also note that any additions, clarifications, etc. which we would like to bring to your attention are put in a separate sealed covering letter. I/ we have ensured that only relevant entries asked for are made in the tender documents. Entries other than the relevant entry shall make the tender invalid.

### **Accepted all Terms & Conditions**

Place:

**Authorised Signatory**

Date:

**Signature & Seal of Tenderer**

**FINANCIAL BIDP ROVIDING OF CATERING  
SERVICES**

Sl. No.	Furniture	Specifications	Qty Required	Price Per Unit
1	Single bed (like Godrej Grove)	<p>Type of Bed Wooden Single Bed with wooden leg  Material of Bed Frame teak wood  Bed should have Headrest and leg rest  Storage should be open from topside with having hydraulic and top Panel have Supports from all the four sides  Number of Supports under Bottom Panel of storage box (Nos)  2</p> <p><b>DIMENSIONS</b>  Mattress Fixing Length <math>\pm 10</math> (mm) 1905  Mattress Fixing Width <math>\pm 10</math> (mm) 915  Mattress Panel Height <math>\pm 5</math> (mm) 125  Depth of Storage Box in mm (<math>\pm 10</math> mm) 350  Thickness of Mattresses Panel <math>\pm 1</math>(mm) 9  Thickness of Bottom Panel of Storage Box <math>\pm 1</math> (mm) 12  Thickness of Front, Back and Side Panels <math>\pm 2</math> (mm) 18  Thickness of material of Headrest <math>\pm 2</math> (mm) 18  Overall, Height of Headrest <math>\pm 5</math> (mm) 900  Length of Headrest <math>\pm 10</math> (mm) 1525  Thickness of material of Largest <math>\pm 2</math> (mm) 36  Overall, Height of Largest <math>\pm 5</math> (mm) 450  Overall Length of Largest <math>\pm 10</math> (mm) 1980  Size OF SUPPORT for Top Panel <math>\pm 2</math> (max) 50 x 25</p> <p><b>COLOUR &amp; FINISHING</b>  Finish Polished  Colour of Paint dark brown  Colour of Lamination plain  All Visible Wood Parts to be Polished</p> <p><b>WARANTEE</b>  4. WARANTEE PERIOD IN NUMBER OF YEARS 3</p>	46	
2	Study tables	<p>Study table with drawer and table top  Mode of Supply Knocked Down to Be Assembled At Consignee Site By The Seller  Frame type Free standing</p> <p><b>MISC</b>  Table top long sides Edge banded with PVC tape of 2 mm thick with help of hot melt glue  Table top plain sides Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue  Gable end modesty panel plain sides Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue  Number of buffers provided 4-Nos. at bottom</p> <p><b>FINISHING AND PACKING</b>  Packing Five Ply Corrugated Board and Strapped With 12 Mm Hdpe Strap  Colour of Top oak</p> <p><b>MATERIAL</b>  Material of table top, and drawer Three layer prelaminated particle board (Wood Product) of grade II type II of IS</p>	12	

Sl. No.	Furniture	Specifications	Qty Required	Price Per Unit
		<p>12823/Latest  Bottom side of top N.A  Gable end and Modesty panel material Flat single layer prelaminated MDF board conforming to having designation PLMDF-23 of IS 14587/Latest  Leg Material NO LEGS  <b>DIMENSION</b>  Table top thickness ±2mm 19 millimetre  Thickness of gable end and modesty panel ±2mm 12  Dimension of leg(mm X mm) ±5mm No legs  Length of table in mm (±15 mm) 1200 millimetre  Depth of table in mm (±10mm) 610 millimetre  Height of table in mm (±10mm) 685 millimetre  Width of outside drawer on top right side of the table with ball bearing (±5mm) 300 millimetre  Depth of outside drawer±5mm 430 millimetre  Height of outside drawer±5mm 150 millimetre  bracket Three layer prelaminated particles board (wood product) of grade II type II of IS 12823/Latest  fixing of supporting bracket with telescopic  Length of telescopic channel ±10mm 400mm  Average weight of telescopic channel ±50Gms N.A  1. Warranty period in should be 3 years</p>		
3	Study Chair	<p>Type of chair High Back  <b>UNDERSTRUCTURE</b>  Tilt mechanism Center tilt mechanism  Locking mechanism Upright locking  Seat depth adjustment Fixed type  Revolving mechanismDesigned with 360 degree-revolving type  Height adjustments Pneumatic/Hydraulic  Pedestal base Mild steel chrome plated  Type of chair base With castor  Twin wheel castor material Nylon  Number of twin wheel castor / Studs (Nos) 5  Minimum diameter of twin wheel castor (mm) 50 mm  Minimum thickness (in mm) of MS Plate Joining the backrest with seat of the chair 2 mm  <b>SEAT</b>  Seat base material Hot pressed plywood  Seat material PU foam  Density of PU used in seat (kg per cubic meter) &gt;30&lt;=40  Actual density of PU used in seat (kg per cubic meter) 25  Thickness of PU used in seat (mm) &gt;50  Actual thickness of PU used in seat (mm) 60 millimeter  Minimum seat height from floor surface (mm) &gt;500  Actual seat height from floor surface (mm) 550 mm  Seat height adjustment (mm) 100 mm  Width of seat (mm) &gt;500  Actual width of seat (mm) 540 mm  Depth of seat (mm) &gt;500  Actual depth of seat (mm) 530 mm</p>	12	

Sl. No.	Furniture	Specifications	Qty Required	Price Per Unit
		Seat upholstery material Leatherette Upholstered material seat colour Black <b>BACKREST</b> Backrest type Fixed type Headrest type Without headrest Backrest height Fixed Backrest support type Contoured back / Without lumber support Backrest base frame material Hot pressed plywood Density of PU used in backrest (kg per cubic meter) $\leq 30$ Actual density of PU used in backrest (kg per cubic meter) 25 Thickness of PU used in backrest (mm) $>40 \leq 50$ Actual thickness of PU used in backrest (mm) 50 mm Width of backrest (mm) $>450 \leq 500$ Actual width of backrest (mm) 500 mm Backrest height from the seat level $>550$ Actual backrest height 750 mm Backrest upholstery material Leatherette Upholstered material backrest colour Black <b>ARMREST</b> Armrest type and arm movement Fixed Armrest under structure material Aluminium Armrest top material Wooden <b>WARRANTY</b> 1. Warranty period in number of years 3 year		
4	Dining Table (inclusive of 4 chairs)	Shape of the Cafeteria Table Rectangular Seating Capacity of the Cafeteria Table 4 <b>Material</b> Material of Table Top Solid Surface Material of Understructure SS 202 PVC Edge Banding for Exposed Edges of Table Top NA PVC Edge Banding for Exposed Edges of Under structure NA Surface Finish Surface Finish Solid Surface <b>Dimensions</b> Length of Table Top / Diameter of Table Top if the Shape is Circular with a tolerance of $\pm 10$ mm 1800 mm Width of Table Top with a tolerance of $\pm 10$ mm 900 mm Height of Table with a tolerance of $\pm 10$ mm 750 mm Thickness of the Table Top with a tolerance of $\pm 1$ mm 20 mm Colour / Finish Walnut Warranty 1. Warranty Period 3 year	10	
5	Mattress	<b>Dimension</b> Dimensions (Tolerance $\pm 15$ mm) 1981 mm x 1524 mm <b>Construction</b> Number of Layers Two Layers Thickness of Top Layer ( $\pm 2$ mm) 55 mm Thickness of Core Layer 1 ( $\pm 2$ mm) 75 mm Thickness of Core Layer 2 ( $\pm 2$ mm) Not Applicable	46	

Sl. No.	Furniture	Specifications	Qty Required	Price Per Unit
		<p>Thickness of Bottom Layer (<math>\pm 2</math> mm) Not Applicable</p> <p>Material of Top Layer coir</p> <p>Material of Core Layer 1 PU Bonded Foam</p> <p>Material of Core Layer 2 Not Applicable</p> <p><b>Mattress Cover</b></p> <p>Fabric Composition Polyester-Cotton Blended (80:20)</p> <p>Construction Knitted</p> <p>Fabric Mass (Minimum) 240 gm/m<sup>2</sup></p> <p>Fabric Colour/Print/Pattern Printed</p> <p>Surface Finish</p> <p><b>Density</b></p> <p>Top Layer Density 70 Kg/m<sup>3</sup></p> <p>Core Layer 1 Density 40 Kg/m<sup>3</sup></p> <p>Core Layer 2 Density Not Applicable</p> <p>Bottom Layer Density Not Applicable</p> <p><b>Other Requirement</b></p> <p>Mattress Top Box Type</p> <p>Compression Set</p> <p>1. Warranty should be for 3 years</p>		

**Signature of the bidder  
with office seal**