



Letter No. 2664 /Emg

Dt. 13.11.2025

TENDER CALL QUOTATION

Sealed quotations are invited from intending Persons /Agencies/ Suppliers having valid TIN for construction/ installation of 195 number of Tsunami Signages in following 15 Tsunami Prone villages of this District to make Coastal Communities resilient against Tsunami, as a part of Tsunami Ready Recognition Programme (TRRP) in Phase-II.

Sl. No.	Block	GP Name	Village
1	Ganjam	Paliabandha	Laxmipur
2			Paliabandha
3			Mayurpada
4		Ramagada	Kalarabadi
5	Rangeilunda	Loudigam	Kirtipur
6			Loudigam
7		Hatipada	1008 ODRP
8			Hatipada
9			New Golabandha
10	Chikiti	Ekasingi	Ekasingi
11		Katuru	Rameyapatana
12			Alladipur
13	Chatrapur	Agasti Nuagaon	Agasti Nuagaon
14			Nolia Nuagaon
15		Arjyapalli	K.Arjyapalli

The works detail information on the construction/ installation of Tsunami Signages, Design, Evaluation Form, Term & Condition, and Financial Bid are attached at Annexure-A, B, C, D.

SCHEDULE OF EVENT	
Last date of receipt of sealed quotation	23.11.2025
Opening of quotations	24.11.2025

The evaluation forms and formats of quotation completed in all respect must be sealed cover super scribed as "Construction/ installation of Tsunami Signages" addressed to Collector, Ganjam should be reached at District Emergency Operation Centre (DEOC), Ganjam through Speed Post/ Registered Post/ Courier by 5.00 p.m. of 23.11.2025 and shall be opened on 24.11.2025 at 11.00 a.m. at Sadhabana Conference Hall, Collectorate, Ganjam, Chatrapur. No tenders will be received after due date and time.

The intending persons /Agencies/ Suppliers will have to pay 1% of value of the work i.e Rs.23,90,580/- (Rupees Twenty three lakh ninety thousand five hundred eighty) only as earnest money through Bank Draft of Axis Bank payable at Chatrapur in favour of Collector, Ganjam which will be refundable.


The undersigned reserves the rights to accept/ modify/ reject any or all the quotation(s) fully or partially without assigning any reason thereof.


Collector, Ganjam

Memo No. 2665 / Dated 13.11.2025

Copy forwarded to the DIO, NIC, Ganjam, Chatrapur for information with a request to hoist the tender call notice in district website for wide publication.

Copy to the DI & PRO, Ganjam, Chatrapur for information with a request for wide publication of the same in News Papers.


Collector, Ganjam

Memo No. 2666 / Dated 13.11.2025

Copy to all members of District Level Tender committee for information and necessary action. They are requested to attend Tender opening meeting at Sadhabana Conference Hall, Collectorate, Ganjam, Chatrapur on 24.11.2025, 11.00 a.m.


Collector, Ganjam

EVALUATION FORM

1	Name of the Supplier/ Bidder	
2	Full Address	At:
		Po:
		PS:
		Dist.:
		PIN:
3	Contact details (Mobile No.)	
4	Email ID	
5	Registration number of the firms with True copy	
6	Aadhar No. (With True Copy)	
7	GST Registration Number with place (Copy to be attached)	
8	Latest G.S.T. Return copy	
9	TIN/PAN Number (With True Copy)	
10	Up-to-date I.T. Return (Copy to be attached)	

I do hereby certify that the above mentioned particulars are true and correct.

Full Signature of the Bidder with seal

DECLARATION

It is hereby declared that I/We the undersigned have read and examined all terms and conditions of the Bid document for which I/We have signed and submitted the bid under proper lawful power of attorney. It is also certified that all the terms and conditions of the bid document are fully acceptable to me/us and I/We will abide by the terms and conditions laid in the documents. This is also certified that our principal manufacturing firm has no objection in signing the purchase contract if the opportunity for the supply of the items against this tender is given to me/us.

Full Signature of the Bidder with seal

Work Details

Sl. No.	Description	Design & Dimension	Nos. of Signage to be installed																																																																											
1	Providing and fixing of retro-reflectorized sign(Single side) as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over aluminium sheeting 2.0 mm thick or Aluminium Composite Material Sheet with overall thickness of 4 mm with area exceeding 0.9 sqm fixed over back support frame of minimum 40 x 40 x 5 mm angle mounted on 02 numbers of mild steel circular pipe 65 NB, 3.2 mm thickness and 4.5 metre total height firmly fixed to the ground by means of properly designed foundation with M25 grade Cement Concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing and as directed by the Engineer-in-Charge.	(6ftX4ft)	30																																																																											
	<table border="1"> <thead> <tr> <th>Description</th> <th>Unit</th> <th>Quantity</th> </tr> </thead> <tbody> <tr> <td>Unit = Each</td> <td></td> <td></td> </tr> <tr> <td>Direction and place identification sign upto 0.9 Sqm size board</td> <td></td> <td></td> </tr> <tr> <td>Taking output=one traffic sign 0.90 sqm</td> <td></td> <td></td> </tr> <tr> <td>a I) Excavation for foundation</td> <td>cum</td> <td>0.122</td> </tr> <tr> <td>ii) Cement concrete M-25 grade</td> <td>cum</td> <td>0.122</td> </tr> <tr> <td>iii) Painting Angle iron post to coats</td> <td>Sqm</td> <td>1.414</td> </tr> <tr> <td>b) Labour (for fixing at site)</td> <td></td> <td></td> </tr> <tr> <td>Mate</td> <td>day</td> <td>0.008</td> </tr> <tr> <td>Mazdoor</td> <td>day</td> <td>0.200</td> </tr> <tr> <td>c) Material</td> <td></td> <td></td> </tr> <tr> <td>Mild steel " L" angle iron back support frame 35 X 35 X 3 mm</td> <td>Kg</td> <td>6.08</td> </tr> <tr> <td>Mild steel circular pipe 65 NB, 3.2 mm thickness, 3.6 m height</td> <td>Kg</td> <td>20.556</td> </tr> <tr> <td>Aluminium sheeting 2.0 mm thick fixed with encapsulated lens type reflective sheeting of size 0.9 sqm</td> <td>Sqm</td> <td>0.90</td> </tr> <tr> <td>Add 2% per cent of cost of angel iron towards cost of drilling holes, nuts, bolts etc.</td> <td></td> <td></td> </tr> <tr> <td>d) Machinery</td> <td></td> <td></td> </tr> <tr> <td>Tractor-trolley</td> <td>Hour</td> <td>0.020</td> </tr> <tr> <td>Total</td> <td></td> <td></td> </tr> <tr> <td>e) Overhead charges @ 7.5 % on(b+c+d)</td> <td></td> <td></td> </tr> <tr> <td>f) Contractor's profit @ 7.5 % on(b+c+d)</td> <td></td> <td></td> </tr> <tr> <td>Cost for 0.90 Sqm (a+b+c+d+e+f)</td> <td></td> <td></td> </tr> <tr> <td>Rate per Sqm (a+b+c+d+e+f)/0.9</td> <td></td> <td></td> </tr> <tr> <td>Add for lettering</td> <td></td> <td></td> </tr> <tr> <td>Labour cess @ 1 %</td> <td></td> <td></td> </tr> <tr> <td>Rate per Sqm</td> <td></td> <td></td> </tr> </tbody> </table>			Description	Unit	Quantity	Unit = Each			Direction and place identification sign upto 0.9 Sqm size board			Taking output=one traffic sign 0.90 sqm			a I) Excavation for foundation	cum	0.122	ii) Cement concrete M-25 grade	cum	0.122	iii) Painting Angle iron post to coats	Sqm	1.414	b) Labour (for fixing at site)			Mate	day	0.008	Mazdoor	day	0.200	c) Material			Mild steel " L" angle iron back support frame 35 X 35 X 3 mm	Kg	6.08	Mild steel circular pipe 65 NB, 3.2 mm thickness, 3.6 m height	Kg	20.556	Aluminium sheeting 2.0 mm thick fixed with encapsulated lens type reflective sheeting of size 0.9 sqm	Sqm	0.90	Add 2% per cent of cost of angel iron towards cost of drilling holes, nuts, bolts etc.			d) Machinery			Tractor-trolley	Hour	0.020	Total			e) Overhead charges @ 7.5 % on(b+c+d)			f) Contractor's profit @ 7.5 % on(b+c+d)			Cost for 0.90 Sqm (a+b+c+d+e+f)			Rate per Sqm (a+b+c+d+e+f)/0.9			Add for lettering			Labour cess @ 1 %			Rate per Sqm		
	Description			Unit	Quantity																																																																									
	Unit = Each																																																																													
	Direction and place identification sign upto 0.9 Sqm size board																																																																													
	Taking output=one traffic sign 0.90 sqm																																																																													
	a I) Excavation for foundation			cum	0.122																																																																									
	ii) Cement concrete M-25 grade			cum	0.122																																																																									
	iii) Painting Angle iron post to coats			Sqm	1.414																																																																									
	b) Labour (for fixing at site)																																																																													
	Mate			day	0.008																																																																									
	Mazdoor			day	0.200																																																																									
	c) Material																																																																													
	Mild steel " L" angle iron back support frame 35 X 35 X 3 mm			Kg	6.08																																																																									
	Mild steel circular pipe 65 NB, 3.2 mm thickness, 3.6 m height			Kg	20.556																																																																									
	Aluminium sheeting 2.0 mm thick fixed with encapsulated lens type reflective sheeting of size 0.9 sqm			Sqm	0.90																																																																									
	Add 2% per cent of cost of angel iron towards cost of drilling holes, nuts, bolts etc.																																																																													
	d) Machinery																																																																													
	Tractor-trolley			Hour	0.020																																																																									
	Total																																																																													
	e) Overhead charges @ 7.5 % on(b+c+d)																																																																													
	f) Contractor's profit @ 7.5 % on(b+c+d)																																																																													
Cost for 0.90 Sqm (a+b+c+d+e+f)																																																																														
Rate per Sqm (a+b+c+d+e+f)/0.9																																																																														
Add for lettering																																																																														
Labour cess @ 1 %																																																																														
Rate per Sqm																																																																														

Providing and fixing of retro-reflectorized sign as per IRC: 67 made of high intensity grade sheeting vide clause 801.3, fixed over Aluminium sheeting 2.0 mm thick or Aluminium composite material sheet with overall thickness of 04 mm with area not exceeding 0.9 sqm fixed over back support frame of minimum 35 x 35 x 3 mm angle mounted on a mild steel circular pipe 65 NB firmly fixed to the ground by means of properly designed foundation with M25 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing and as directed by Engineer-in-Charge.

Unit = Each		
Direction and place identification sign upto 0.9 Sqm size board		
Taking output=one traffic sign 1.50 sqm		
a I) Excavation for foundation	cum	0.243
ii) Cement concrete M-25 grade	cum	0.243
iii) Painting Angle iron post to coats	Sqm	2.827
b) Labour (for fixing at site)		
Mate	day	0.012
Mazdoor	day	0.300
c) Material		
Mild steel " L" angle iron back support frame 40 X 40 X 5 mm	Kg	14.40
Mild steel circular pipe 65 NB, 3.2 mm thickness, 3.6 m height	Kg	41.112
Aluminium sheeting 2.0 mm thick fixed with encapsulated lens type reflective sheeting	Sqm	1.50
Add 2% per cent of cost of angel iron towards cost of drilling holes, nuts, bolts etc.		
d) Machinery		
Tractor-trolley	Hour	0.020
Total		
e) Overhead charges @ 7.5 % on(b+c+d)		
f) Contractor's profit @ 7.5 % on(b+c+d)		
Cost for 1.50 Sqm (a+b+c+d+e+f)		
Rate per Sqm (a+b+c+d+e+f)/1.50		
Add for lettering		
Labour cess @ 1 %		
Rate per Sqm		

2

(3ftX2ft)

150

Providing and fixing of retro-reflectorized sign as per IRC:67 made of high intensity grade sheeting vide clause 801.3, fixed over Aluminium sheeting 2.0 mm thick or Aluminium composite material sheet with overall thickness of 4.0 mm with area not exceeding 0.9 sqm fixed over back support frame of minimum 35 x 35 x 3 mm angle mounted on mild steel circular pipe 65 NB, firmly fixed to the ground by means of properly designed foundation with M25 grade cement concrete 45 x 45 x 60 cm, 60 cm below ground level as per approved drawing and as directed by the Engineer in-Charge.

Description	Unit	Quantity
Unit = Each		
Direction and place identification sign		
Taking output=one traffic sign 1.50 sqm		
a I) Excavation for foundation	cum	0.243
ii) Cement concrete M-25 grade	cum	0.243
iii) Painting Angle iron post to coats	Sqm	2.827
b) Labour (for fixing at site)		
Mate	day	0.012
Mazdoor	day	0.300
c) Material		
Mild steel " L " angle iron back support frame 40 X 40 X 5 mm	Kg	14.40
Mild steel circular pipe 65 NB, 3.2 mm thickness, 3.6 m height	Kg	41.112
Aluminium sheeting 2.0 mm thick fixed with encapsulated lens type reflective sheeting	Sqm	1.50
Add 2% per cent of cost of angel iron towards cost of drilling holes, nuts, bolts etc.		
d) Machinery		
Tractor-trolley	Hour	0.020
Total		
e) Overhead charges @ 7.5 % on(
f) Contractor's profit @ 7.5 % on(b+c+d)		
Cost for 1.50 Sqm (a+b+c+d+e+f)		
Rate per Sqm (a+b+c+d+e+f)/1.50		
Add for lettering		
Labour cess @ 1 %		
Rate per Sqm		


3

(2ftX3ft)

15

Term & Condition

1. The civil structure and installation of hoarding in 15 number of Tsunami prone villages at selective places in Ganjam, Chatrapur, Rangeilunda and Chikiti Block.
2. The Bidder has to be completed the work within 15 days after finalisation of bid.
3. The Bidder shall furnish copy of the PAN Card & Aadhar Card.
4. The Bidder shall submit the copy of GST Certificate.
5. The persons /Agencies/ Suppliers will evaluate and compare the quotations determined to be substantially responsive i.e., which (a) are properly signed and (b) confirm to the terms and conditions, and specifications. The quotations would be evaluated for all the items together given in the quotation format.
6. Each bidder shall submit only one quotation as per the enclosed format
7. The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
8. The transportation and installation charges are also be included in the bid price/ quoted price at site.
9. In case of any dispute the decision of the Collector, Ganjam shall be final and binding.


Collector, Ganjam

FINANCIAL BID

1. Name of the person /Agencies/ Supplier:

2. Address:

Sl. No	Item* Description	Specification	Nos. of units	Quoted price including all taxes		Remarks
				In Rs.	In figure	
1	Tsunami Information Board	06 ft x 04 ft	30			
2	Tsunami Evacuation Route Signage Board	03 ft x 02 ft	150			
3	Tsunami Safe Shelter Location Board	02 ft x 03 ft	15			

Full Signature of the Bidder with seal